

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020169745" and log\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:52
L2	0	"20040024736" and tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:53
L3	3	"20040024736"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:53
L4	868	(previous near3 tag\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:54
L5	74	L4 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:54
S2	40	((database adj schemas) with databases) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:13
S3	8	((database adj schemas) with configuration\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:30

## EAST Search History

S4	0	((database adj schemas) with (database near3 servers)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:32
S5	0	((database adj schemas) with (database adj servers)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:32
S6	0	((database adj schemas) with (database adj configuration\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:32
S7	8	((database adj schemas) with (configuration\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:33
S8	15	((database adj schemas) same(configuration\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:41
S9	2	"20020169745"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 09:42
S10	2	"20050234934"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 11:13

## EAST Search History

S11	40	((database adj schemas) with databases) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:14
S12	5	S11 and(verif\$7 and permission\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:15
S13	618	(verif\$7 and permission\$1 and DLL) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S14	85	S13 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S15	96	S13 and schemas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:16
S16	36	S15 and (configuration with management\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S17	100	(verif\$7 and permission\$1 and DDL) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:18

## EAST Search History

S18	33	S17 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S19	16	S18 and (configuration with management\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S20	1	( permission\$1 and ( valid\$3 near3 DDL\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:19
S21	10302	( permission\$1 and ( verif\$7 near6 DDL\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:20
S22	0	( permission\$1 and ( verif\$7 near6 DDL\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:20
S23	0	( permission\$1 and ( verif\$7 with DDL)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:20
S24	146	( permission\$1 and ( DDL)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:30

## EAST Search History

S25	58	S24 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:20
S26	226	( permission\$1 and (verify near5 validity )) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:30
S27	226	S26 and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:30
S28	27	S27 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:27
S29	1	"20020169745" and (time\$1 or period\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:29
S30	60992	(modif\$7 near5 (time\$1 or period\$6)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:49
S31	2783	S30 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:30

## EAST Search History

S32	170	S31 and schemas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:02
S33	125	S32 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:35
S34	17	S32 and (configuration\$1 near5 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:31
S35	1	"20050234934" and time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:31
S36	1838	(modif\$7 near5 (prescrib\$3 or set or designated) near5 (time\$1 )) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:50
S37	113	S36 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:08
S38	1	"20050234934" and location\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:09

## EAST Search History

S39	6	(modifi\$6 with (select\$3 near (databases or servers))) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:01
S40	1	"20020169745" and (location\$1 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:12
S41	2	"20040024736" and (location\$1 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:13
S42	1	"6363388".pn. and (location\$1 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:13
S43	1	"20050234934" and bundling	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:01
S44	1	"20050234934" and simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:01
S45	84	S32 and simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:03

## EAST Search History

S46	1	"6363388".pn. and simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:06
S47	8432	((bundl\$3 or batch\$3 ) with simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:07
S48	4973	((bundl\$3 or batch\$3 ) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:08
S49	46	S48 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:08
S50	1877	((bundl\$3 ) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:10
S51	4	S50 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:09
S52	3427	((bundl\$3 ) with simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:10



## EAST Search History

S53	16	S52 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:12
S54	6316	(module near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:13
S55	108	S54 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:13
S56	0	((into near3 module) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:14
S57	108	((into or in) near3 module) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:14
S58	4	S57 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:14
S59	1	"20020169745" and (standard\$1 or perdefined\$1 or meet\$1 or ver\$3 or processing or sequential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:53

## EAST Search History

S60	2	"20040024736" and (standard\$1 or requirement\$1 or perdefined\$1 or meet\$1 or ver\$3 or processing or sequential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:54
S61	1	"20040098383" and (standard\$1 or requirement\$1 or perdefined\$1 or meet\$1 or ver\$3 or processing or sequential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:13
S62	0	"20020169745" and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:13
S63	0	"20040024736" and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:13
S64	0	"20040098383" and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:14
S65	0	(pars\$3 near5 (schema\$1) near5 sequential ) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:14
S66	9	(pars\$3 near5 (schema\$1) near5 processing ) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:30

## EAST Search History

S67	6288	(verify\$3 near6 specif\$7) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:31
S68	292	S67 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:31
S69	1	"20020169745" and (identification\$1 or identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:53
S70	3	"20040024736" and (identification\$1 or identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:55
S71	0	S70 and Permission\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:55
S72	2715	(id\$1 or identificaiton\$1 or identif\$5) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:59
S73	325	S72 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:59

## EAST Search History

S74	1097	(id\$1 or identificaiton\$1 ) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 11:04
S75	125	S74 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 11:00
S76	42	((id\$1 or identificaiton\$1 ) near3 server\$1) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 11:09
S77	2	"20040088316"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:41